

**PRIMARY STREETS FOR EXTRA-LEGAL LOADS:**

**EXCEPT AS SPECIFIED ON INDIVIDUAL PERMITS, ALL PERMIT LOADS SHALL TRAVEL ON THE FOLLOWING ROADS:  
AUBURN BLVD, ANTELOPE RD, GREENBACK LN, MADISON AVE, SAN JUAN AVE AND SUNRISE BLVD**

**GENERAL REQUIREMENTS:**

1. Acceptance of this permit constitutes an express acknowledgment that the permittee agrees to observe and comply with all of the general and specific conditions on the face of the permit and its accompaniments.
2. Permittee shall, at all times, give strict attention to the safety and rights of the traveling public. Moving shall be done during daytime hours Monday through Friday, and moving is not allowed on Saturdays, Sundays, legal holidays, during rain, fog or frost, during the holiday moratorium, or when visibility is less than 1,000 feet, unless stipulated on the permit. Daytime is defined as one half hour before sunrise and one half hour after sunset.
  - a. **NO MOVEMENT SHALL BE MADE BETWEEN THE HOURS OF 7:00-9:00 AM AND 4:00-6:00 PM.**
  - b. **Please Note:**
    - **No extra-legal loads shall be permitted during the holiday moratorium.**
    - **(Starting the Friday before Thanksgiving Day to January 1, inclusive)**
3. All vehicles in excess of legal limits (length, width or overhang) and pilot cars shall mount all warning devices, lights, flags and signs in compliance with the directed by the California Vehicle Code (CVC). Permittee must comply with all regulations including, but not limited to the following:
  - Identification placards comply with the CVC, Section 27904
  - Warning signs comply with CVC 27904.5 and 35783.5
  - Warning lights comply with CVC 25270
  - Warning flags comply with CVC 28100
  - Vertical clearance measuring devices comply with CVC 28102 and 35252
  - Additional requirements as outlined in CVC 28101
  - Possession of permit CVC 35783

## **PILOT CAR REQUIREMENTS:**

Pilot car(s) are required if your vehicle + load qualify in any of the following categories:

### **One-Car (Preceding) is required if any of the following apply:**

- a. Length is between 75' – 95'
- b. Height is over 14'
- c. Width is between 12' – 13' and route is on 2 lane roads

### **Two-Cars (1 Preceding & 1 Following) are required if any of the following apply:**

- a. Length  $\geq$  95'
- b. Width is between 12'– 13' and route is on **multi-lane roads**
- c. Width is  $\geq$  13' and route is on **all roads**

***It shall be the responsibility of the permittee to check for impaired clearances and to bypass or arrange clearance at such locations.***

1. When crossing bridges or on roads so narrow that it is impractical to keep the entire vehicle and load to the right of the center line of pavement or traveled way, one (1) flagman shall be posted behind and one (1) flagman ahead of the vehicle to warn and direct approaching traffic. No vehicle over the legal weight shall drive onto any bridge when it is obvious to the driver that by doing so, his overweight vehicle will occupy the bridge at the same time as another truck or bus.
2. Notwithstanding any roads listed on this permit or any attachments or any attachments thereto, no vehicle shall exceed the posted limits for any road or bridge.
3. It is understood and agreed that the permittee will be held responsible for any accidents to traffic resulting from the movement of any equipment named on this permit. In the event of an accident, the permittee shall notify the City of Citrus Heights General Service Department at the address and phone number listed above at the time of the accident.
4. In the event of any damage to street apparatus or structures, the permittee shall report damage to the General Services Department at the address and phone number listed above at the time of damage. The permittee shall repair assets within a reasonable period of time given the nature of the damage, at their own expense and to the satisfaction of the Principal Civil Engineers. Notwithstanding the foregoing, work or repair may be done by City forces at the option of the Principal Civil Engineer with all costs to be borne solely by the permittee.
5. Permittee shall defend, indemnify and hold harmless the City, its officers, agents and employees from any and all claims, demands or lawsuits for damage, personal injury or death that may arise from any negligent act or omission of permittee, its agents and employees when acting under this permit.
6. Under this permit, no trees shall be cut, trimmed, used for attaching cables or in any way disturbed, no signs or signal poles removed or in any way disturbed unless specifically authorized by a separate encroachment permit.
7. Movement through a construction zone is prohibited unless stipulated on the permit.
8. All trip permits require notification to the General Services Department, by the permittee on the day of the trip through the City of Citrus Heights.
9. Permit becomes invalid if document is altered in any way. Failure to comply with all permit provisions (including non-payment) will result in permit revocation for the remainder of the permit period.

## **Manufactured Housing/PORTABLE Classroom Modules Requirements**

Manufactured home means a structure, transportable in one or more sections, which, in the traveling mode, is eight feet or more in width, or 40 feet or more in length, overall length measured from the foremost point of the trailer hitch to the rear extremity of the trailer. Manufactured homes include a mobile home and portable classrooms. Manufactured homes not on their own axles are considered House Moves.

1. The City of Citrus Heights, in cooperation with the Citrus Heights Police Department and California Highway Patrol, may require a pilot car and or special escort services by a law enforcement agency (California Highway Patrol, Citrus Heights Police Department) for the movement of any manufactured housing unit and may establish additional permit regulations, including special routing requirements, as necessary. (*Refer to Transportation Permit Conditions section for Pilot Car Requirements*)
2. Permits for the movement of manufactured homes under this section shall not be issued except to transporters or licensed manufacturers and dealers. Every permit along with the following forms and documents shall be carried in the power unit to be used to tow the manufactured homes to which it refers and shall be open to inspection by any officer or employee charged with the care and protection of the streets and highways:
  - a. Consent Forms (10899.5 Health and Safety Code)
  - b. Copy of the Tax Clearance Certificate
  - c. Certificate of origin or dealer's notice of transfer
3. The overall width of manufactured housing shall be the overall width, including roof overhang, eaves, window shades, porch roofs, or any other part of the manufactured house that cannot be removed for the purposes of transporting upon any highway.
4. Manufactured housing unit tires shall be free from defects and have at least 3/32 of an inch tread depth. All combinations of motor vehicles and manufactured housing shall be equipped with service brakes on all wheels. Service brakes shall supplement the brakes on the towing vehicle.
5. Manufactured housing units shall be equipped with an identification plate, specifying the manufacturer's name, the manufactured housing unit's serial number, the gross vehicle weight rating of the manufactured housing unit, and the gross weight of the cargo that may be transported in or upon the manufactured housing unit without exceeding the gross vehicle weight rating. The identification plate shall be permanently attached to the manufactured housing unit and shall be positioned adjacent to the certification label.
6. Transporters of manufactured housing units shall not transport any additional load in, or upon, the manufactured housing unit that has not been certified by the manufactured housing unit's manufacturer or dealer.
7. Manufactured housing units shall be subject to all lighting requirements contained in the CVC Sections: 24603, 24607, 24608, and 24951. When transported during darkness, manufactured housing units shall additionally be subject to CVC Sections 24600 and 25100.
8. Manufactured housing units shall have all open sides covered by plywood, hard board, or other rigid material, or by other suitable plastics or flexible material. Plastic or flexible side coverings shall not billow or flap in excess of six inches in any one place. Units that are opened on both sides may be transported empty with no side coverings.
9. The maximum allowable weight upon one manufactured housing unit axle shall not exceed 6,000 pounds, and the maximum allowable weight upon one manufactured housing unit wheel shall not exceed 3,000 pounds.